

REFERENCES

Asquith, W. H., Thompson, D. B., Cleveland, T. G., and Fang, X. (2004), "Synthesis of Rainfall and Runoff Data used for Texas Department of Transportation Research Projects 0-4193 and 0-4194." U.S. Geological Survey, Open File Report 2004-1035, 1050p.

Asquith, W. H. and Rousell, M.C. (2007), "An initial-abstraction, constant-loss model for unit hydrograph modeling for applicable watersheds in Texas." U.S. Geological Survey Scientific Investigations Report 2007-5243, 82p. [<http://pubs.usgs.gov/sir/2007/5243>]

Beven, K. J. and Kirkby, M. J. (1979), "A physically based, variable contributing area model of basin hydrology." *Hydrological Sciences Bulletin*, 43–69.

Bingner, R. L., Arnold, J. G., and Srinivasan, R. (1997), "Effect of watershed subdivision on simulation runoff and fine sediment yield." *Transaction of the ASAE* 40(5), 1329–1335.

Dooge, J.C.I. (1973), "Linear theory of hydrologic systems." *U.S. Dept. of Agriculture, Technical Bulletin 1468*.

FitzHugh, T. W. and Mackay, D. S. (2000), "Impacts of input parameter spatial aggregation on an agricultural nonpoint source pollution model." *Journal of Hydrology* 236, 35–53.

Gupta, V. K. and Sorooshian S. (1983), "Uniqueness and observability of conceptual rainfall-runoff model parameters: The percolation process examined." *Water Resources Research* 19(1), 269–276.

He, X. (2004), "Comparison of Gamma, Raleigh, Weibull, and NRCS models with observed runoff data for central Texas small watersheds." Master's thesis, University of Houston.

Hernandez, M., Miller S., Semmens, D., Goodrich, D. C., Miller, W. P., and Kepner, W. G. (2002), "Quality assurance and quality control in the development and application of the automated geospatial watershed assessment (AGWA) tool." Technical Report EPA/600/R02/046, U.S. Environment Protection Agency, Las Vegas, Nevada.

Hromadka, T. V. (1986), "San Bernardino county hydrology manual." Technical report, Williamson and Schmid, Civil Engineers, Irvine, California.

Jha, M., Gassman, P. W. , Secchi, S. , Gu, R., and Arnold, J. (2004), "Effect of watershed subdivision on SWAT flow, sediment, and nutrient predictions." *Journal of the American Water Resources Association* 40(3), 811–825.

Jha, M. K. (2002), "Level of watershed subdivision for water quality modeling." Master's thesis, Iowa State University.

Loague, K. M. and Freeze, R. A. (1985), "A comparison of rainfall-runoff modeling techniques on small upland catchments." *Water Resources Research* 21(2), 229–248.

Mamillapalli, S., Srinivasan, R., Arnold, J. G., and Engel, B. A. (1996), "Effect of spatial variability on basin scale modeling" In *Third International Conference/Workshop on Integrated Remote Sensing Resource Center*, established with support from NASA (NAG5-6535). *Third International Conference/Workshop on Integrating GIS and Environmental Modeling*, Santa Fe, New Mexico, January 21 – 26, 1996. National Center for Geographic Information and Analysis, Santa Barbara, CA, USA.

Rousell, M.C., Thompson, D.B., Fang, X., Cleveland, T.G., and Garcia, C.A. (2004), "Time-Parameter Estimation for Applicable Texas Watersheds." Project Report 0-4696-1, Department of Civil Engineering, Lamar University, Beaumont, TX.

Michaud, J. and Sorooshian, S. (1994), "Comparison of simple versus complex distributed runoff models on a mid-sized semiarid watershed." *Water resources research* 30(3), 593–605.

Nash, J. E. and Sutcliffe, J. V. (1970), "River flow forecasting through conceptual models." *Journal of Hydrology* X(3), 282–290.

Norris, G. and Haan, C. T. (1993), “Impact of subdividing watersheds on estimated hydro-graphs.” Soil and Water Division American Society of Agricultural Engineers 9(5), 443–445.

Sasowsky, K. C. and Gardner, T. W. (1991), “Watershed configuration and geographic information system parameterization for spur model hydrologic simulations.” Water resources bulletin 27(1), 7–18.

Tripathi, M. P., Raghuwanshi, N. S. and Rao, G. P. (2006), “Effect of watershed subdivision on simulation of water balance components.” Hydrological processes 20, 1137–1156.

U.S. Army Corps of Engineers (2000), “Hydrologic Modeling system HEC-HMS: Technical Reference Manual.” Hydrological Engineering Center.

USDA-SCS (1986), “Urban Hydrology for Small Watersheds.” Technical Release 55, U.S. Department of Agriculture, Soil Conservation Service, Washington D.C.

U.S. Department of Transportation – Federal Highway Administration (2002), “Highway Hydrology: Hydraulic Design Series Number 2, Second Edition.” Publication No. FHWA-NHI-02-001.

Williams-Sether, T., Asquith, W. H., Thompson, D. B., Cleveland, T. G., and Fang, X. (2004), "Empirical, dimensionless, cumulative-rainfall hyetographs developed from 1959-86 storm data for selected small watersheds in Texas." U.S. Geological Survey Scientific Investigations Report 2004-5075, 131 p.

Wood, E. F., Sivapalan, M., Beven, K. and Band, L. (1988), "Effects of spatial variability and scale with implications to hydrologic modeling." *Journal of Hydrology* 102, 29–47.