

CE 3354 Engineering Hydrology
Exam 1, Fall 2015

Students should write their name on all sheets of paper. Students are permitted to use Laptops, Tablets, and smart phones for **browsing** the internet to help answer questions. Students are permitted to use their own notes and the textbook to help answer questions.

1. Hydrology is
 - a) Study of the atmosphere, ocean, and surface waters
 - b) The study of the occurrence, distribution, and movement of water above, on, and below the surface of the earth
 - c) A study of the processes of evaporation, infiltration, and storage
 - d) The study of the relationship between rainfall and runoff
2. The fundamental unit of hydrology is ?
 - a) The rainfall depth
 - b) The main channel length
 - c) The main channel slope
 - d) The watershed
3. What is the relationship between the Annual Exceedance Probability (AEP) and the Annual Recurrence Interval (ARI)?
 - a) The ARI is the average number of years between years containing one or more events exceeding a prescribed magnitude
 - b) The AEP and ARI are the multiplicative inverse of one another
 - c) The AEP is a plot of probability and magnitude
 - d) The ARI is a plot of probability and magnitude
4. How can one calculate the Annual Exceedance Probability (AEP) from the Annual Return Interval (ARI)?
 - a) Cannot
 - b) $AEP = \frac{1 \text{ yr}}{ARI}$
 - c) $ARI = \frac{1 \text{ yr}}{AEP}$
 - d) $ARI = \frac{Rank_i}{N+1}$

5. An annual recurrence interval of 100-years is equivalent to an AEP of what percent?
 - a) 1-percent.
 - b) 10-percent.
 - c) 50-percent.
 - d) 100-percent.
6. What is a flood frequency curve?
 - a) A plot of the discharge magnitude and the Weibull plotting position
 - b) A plot of the frequency and discharge
 - c) A plot of estimated exceedance probability and discharge
 - d) A plot of discharge and time
7. What is a plotting position?
 - a) Location in a chart of a data pair
 - b) The multiplicative inverse of relative frequency
 - c) An estimate of probability associated with an observation based on its position within a ranked sample set
 - d) An estimate of probability associated with an observation based on its magnitude relative to the arithmetic mean
8. To what type of data series would we apply the Bulletin 17B procedure ?
 - a) Annual maximum rainfall
 - b) Hourly rainfall
 - c) Annual maximum discharge
 - d) Instantaneous discharge
9. Rainfall behavior is expressed as a combination of
 - a) depth and duration
 - b) intensity and probability or frequency
 - c) duration and probability or frequency
 - d) depth or intensity, duration, and probability or frequency

10. Rainfall intensity is
- a) the ratio of accumulated depth to duration
 - b) instantaneous rainfall rate
 - c) slope of the depth duration curve at a duration of one hour
 - d) integral of the depth duration curve from 0 to 24 hours
11. In the rational equation, $Q = CIA$,
- a) the intensity, I , is the ratio of depth to the time of concentration
 - b) the intensity, I , is the ratio of depth to watershed area
 - c) the intensity, I , is the ratio of depth to watershed discharge
 - d) the intensity, I , is the ratio of depth to watershed impervious cover
12. Regional analysis is used to
- a) delineate watersheds
 - b) relate discharge to drainage area
 - c) construct regression equations from historical data on many streams within a region
 - d) establish a typical functional drainage area

13. Figure 1 is a depth-duration-frequency plot for precipitation.




Figure 1: Depth-duration-frequency curve

The approximate depth, in millimeters, for a 4 hour, 100-yr (1% chance) storm is

- a) 125 millimeters
- b) 75 millimeters
- c) 55 millimeters
- d) 45 millimeters




Figure 2: Flood frequency curve for a gaging station

14. Figure 2 is a flood frequency curve. The probability of observing a discharge of magnitude of 50,000 *CFS* or more is
 - (a) 0.01
 - (b) 0.05
 - (c) 0.10
 - (d) 0.50

15. The median discharge from Figure 2 is
 - (a) 10,000 *CFS*
 - (b) 20,000 *CFS*
 - (c) 50,000 *CFS*
 - (d) 90,000 *CFS*

16. Figure 3 is a topographic map of a small drainage basin. The drawn contour interval is 20 feet. Many of the contours are labeled. A culvert structure is located on the Eastern portion of the basin, near the outlet shown on Figure 3. The red line is a highway alignment, beneath which the culvert structure is placed. Figure 4 is a photograph of the culvert system that is comprised of 4-parallel, 4-foot diameter, 100-foot long culverts. The lowest portion of the road near the culverts is at elevation 595 feet. The culverts are laid on a dimensionless slope of 0.02.




Figure 3: Topographic Map of a portion of the Earth. Elevations and linear distances are in feet. North (by convention) is up.



Figure 4: Multiple-barrel outlet structure

- a) Estimate the drainage area in square feet of the drainage basin. The boundary is already drawn on the map.

- b) Convert the drainage area from square feet into acres.

- c) Convert the drainage area from acres into square miles.

- d) The water surface area when the culvert system (like a dam, with 4 holes in the wall) impounds water to a water surface elevation of 565 *feet* is essentially zero. Complete the elevation (side) view sketch of the road embankment and culvert system in Figure 5 by indicating the elevations on the sketch of the roadway crest, the culvert inlet elevation (also the upstream base of the embankment), and culvert outlet elevation.




Figure 5: Culvert system elevation view sketch

Student Name:

FALL 2015

e) Estimate the water surface area (area of the pool on the upstream side of the road embankment) when the embankment impounds water to a water surface elevation of 570 *feet*. Describe how you made the estimate.

f) Estimate the water surface area when the embankment impounds water to a water surface elevation of 580 *feet*. Describe how you made the estimate.

g) Estimate the water surface area when the embankment impounds water to a water surface elevation of 590 *feet*. Describe how you made the estimate.

17. Figure 6 is a tabulation of an observed storm and runoff for the drainage area depicted by the map in Figure 3. The runoff was measured before the installation of the roadway, at the location indicated by the blue circle on the map.

TIME-HOURS	ACC-RAIN-INCHES	OBSERVED-FLOW-CFS
0	0.000	0
1	0.000	0
2	0.000	0
3	0.000	0
4	0.000	0
5	0.000	0
6	0.000	0
7	0.000	0
8	0.091	1.42466349
9	0.096	0.31660086
10	0.101	0.3165874
11	0.105	0.31660086
12	0.110	0.3165874
13	0.110	0.403656
14	0.140	0.403656
15	0.740	25.161224
16	2.740	600.236472
17	2.930	825.207416
18	3.020	157.42584
19	3.020	96.608336
20	3.020	28.121368
21	3.080	36.867248
22	3.200	20.048248
23	3.259	7.1447112
24	3.259	0


Figure 6: Cumulative rainfall for a 24-hour period on watershed determined for Figure 3

18. The watershed in Figure 3 is located in Briscoe County, Texas. Figure 7 is a map of counties in Texas. Figures 8 and 9 are excerpts from the Texas DDF Atlas.

- a) Circle Briscoe county on Figure 7.
- b) Circle Briscoe county on Figure 8.
- c) Circle Briscoe county on Figure 9.
- d) Write the formula that converts the Annual Exceedence Probability (AEP) into an Annual Recurrence Interval (ARI).

e) Estimate the precipitation depth in Brown county for a 2 hour storm with an Annual Exceedence Probability (AEP) of 0.2 (20 %).

f) Estimate the average rainfall intensity in Brown county for a 2 hour storm with an Annual Exceedence Probability (AEP) of 0.1 (10 %).



Depth of precipitation for 5-year storm for 2-hour duration in Texas.

Figure 8: Cumulative rainfall for a 24-hour period on watershed determined for Figure 3




Figure 31. Depth of precipitation for 10-year storm for 2-hour duration in Texas.

Figure 9: Cumulative rainfall for a 24-hour period on watershed determined for Figure 3